


# Product Data Sheet

## MaxiFlex® Endurance™ with AD-APT® 42-847

<b>Colour – Coating</b>	Black
<b>Colour – Liner</b>	Grey
<b>Design</b>	Drivers style knitwrist
<b>Coating</b>	NBR (Nitrile Butadiene Rubber)
<b>Coating texture</b>	Micro-Foam for Controlled Grip
<b>Liner</b>	Nylon, Spandex
<b>Palm thickness</b>	1.10 mm



### Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/-10 mm)	250	250	250	250	250	250
Wrist length (mm)	90	88	86	84	80	80
Wrist width (mm)	76	78	80	84	86	88
Palm width (+/-3 mm)	87	90	95	100	104	106
Over lock colour	Blue	Red	Orange	White	Yellow	Black

### EN test Results

Test	Notified Body	Result/Pass
EN 420: 2003 + A1: 2009	TÜV Rheinland	Yes
EN 388: 2016	TÜV Rheinland	4131A

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".



# Product Data Sheet

## MaxiFlex® Endurance™ with AD-APT® 42-847

### Typical Performance Values

EN 420 Dexterity	Level 5
EN 388:2016 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 B. Cut Resistance	> 1.2 index
EN 388:2016 C. Tear Resistance	> 50 newtons
EN 388:2016 D. Puncture Resistance	> 20 newtons
EN 388:2016 E. Cut Resistance ISO	≥ 2 Newton

### HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Oeko-Tex® 100	Certified
Sanitized®	Yes



### Special features

AD-APT®	Yes
Silicone free	No



# Product Data Sheet

## MaxiFlex® Endurance™ with AD-APT® 42-847

### Packaging

<b>Pairs per poly bag</b>	12
<b>Poly bags per carton</b>	12
<b>Carton count</b>	144
<b>Carton dimensions (mm)</b>	500 x 295 x 270

### Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / Pair (+/-6 gram)	44	48	52	56	60	64
Gross Weight (Kg)	7.7	8.3	8.85	9.4	10	10.6
Carton Weight (Kg)	1	1	1	1	1	1
Net Weight (Kg)	6.7	7.3	7.85	8.4	9	9.6

Issue date: 17.04.2019

